
JPRP System

Release 0.1

UoN-Afya Team

April 24, 2016

1	List of Abbreviations and Terminologies	3
1.1	Abbreviations	3
1.2	Terminologies	3
2	Introduction	5
2.1	Background.	5
2.2	Why JPRP?	5
3	System	7
3.1	System Access	7
3.2	Main Functions	9
3.3	JPRP Hierarchy	10
4	Hierarchy	13
4.1	MoH Level	13
4.2	Development Partner Level	15
4.3	Agency Level	16
4.4	Mechanism Level	20
5	User Management	23
5.1	Users and User Roles	23
5.2	DHIS2 User Roles	27
5.3	JPRP User Authorities	27
6	Programs	29
6.1	Assigning Programs.	29
6.2	View Program List.	29
6.3	Creating a Program	30
6.4	Edit Program.	30
6.5	Remove/Delete Program.	30
6.6	Show Program Details.	32
6.7	View Program	32
7	Data Import	35
7.1	Data Import from the national DHIS2 instance	35
8	Program Reporting Structure and Attribution	37
8.1	PEPFAR Program Reporting Structure	37
8.2	Data Attribution	38

9 Data Access, Data Analysis and Reports	41
9.1 Data Access Hierarchy Design	41
10 Appendix 1: References	43

Contents:

List of Abbreviations and Terminologies

1.1 Abbreviations

- **AIDS**-Acquired Immune Deficiency Syndrome.
- **DHIS2** - District Health Information System Version 2.
- **HIV** - Human Immunodeficiency Virus.
- **IPs** - Implementing Partners.
- **IPSL** - Implementing Partners Support List.
- **JPRP** - Joint Partner Reporting Portal.
- **KePMS** - Kenya HIV/AIDS Program Monitoring System.
- **MoH** - Ministry of Health.
- **PEPFAR**-President’s Emergency Plan for AIDS Relief.
- **PHES**-Partner Health Environmental System.

1.2 Terminologies

- **Implementing partner**-An organization working on behalf of an agency to perform services.
- **Funding agency**-An agency providing support to partners.

Introduction

2.1 Background.

The *JPRP* portal is an open source solution customized to support the *PEPFAR* system on similar partner reporting system based on the *DHIS2* platform which is currently being used for health reporting in Kenya and over 32 countries worldwide

This portal replaces the KePMS reporting system for *MoH 731* and *MoH 711* forms which has been previously used for *PEPFAR* reporting by the implementing partners. The portal fetches data using API to API technology from the national *DHIS2* government reporting system. Thus amassing partner efforts in ensuring accurate data in the national *dhis2* system. *JPRP* portal will also lessen the burden of the data entry clerks of duplicate data entry for *MoH 731* and *MoH 711* tools to both national *DHIS2* and KePMS. Data is attributed to IPs and Funding agencies on import so and this facilitates partner and funding for the packing for *PEPFAR*.

2.2 Why JPRP?

JPRP portal comes with the following benefits:

- 1.To avoid double data entry to KePMS and the *National DHIS2* by fetching the entered *National DHIS2* via the API.
- 2.To perform attribution on the unattributed fetched *DHIS2* data basing on Partner data element ownership for program level data consumption in decision making.
- 3.To enhance the *National DHIS2* data by pulling efforts of all implementing partners in making sure that the data entered into the national *DHIS2* is accurate.
- 4.The *JPRP* portal is streamlines health data where all partners can access up to date data from the same database instance unlike the previous scenario where each partner was running their own KePMS instances.
- 5.The portal provides aggregated data for programs per sites implementing partners ,agencies and donor levels.
- 6.The portal provides a cumulative data element functionality currently not being provided by the *DHIS2* platform on which it is based on.

3.1 System Access

To access the application the user has to sign in to PHES. Click on this link [PHES](#) to direct you to the PHES login page. Provide your username and password then click the login button. If successful it directs you to the PHES dashboard.




Fig 1.- PHES Login Page

3.1.1 Accessing the JPRP attribution portal app

Once logged into PHES, Click in the APPs Icon and select the attribution portal App. This depends on the PHES role allocated to the user .The attribution App uses the PHES login credentials and allocated privileges.

Fig 1.- JPRP Attribution App

Fig 1.- JPRP Landing page

Note: One cannot access the JPRP-APP without logging in to the [PHES](#)

dh2 JPHES

Apps Profile

christine christine • Write feedback • Share interpretation

Profile Messages Interpretations

Search for users, charts, maps, reports and resources

Add Manage Share < >

Search apps

Dashboard Pivot Table Data Visualizer

GIS Data Entry Reports

Browser Cache Cleaner ATTRIBUTION PORTAL

More apps

JPRP Portal

christine
Aphiaplus Kamili

Programs

Home > Programs > Programs

Programs

10 records per page

Search:

Program ID	Program Name
1	Prevention of Mother to Child Transmission PMTCT
2	Antiretroviral treatment ART Programme
3	Orphans And Vulnerable Children Program
4	TB/HIV
5	Kenya Mentor Mothers
8	Care and Treatment
9	Nutrition Program

Showing 1 to 7 of 7 entries

← Previous 1 Next →

3.1.2 Logout- JPRP

To logout, click on either JPRP Home tab or on the sign out button in the profile icon.

The screenshot shows the JPRP Portal interface. The user 'christine Aphiaplus Kamili' is logged in. The main content area displays a list of programs under the heading 'Programs'. The list has columns for 'Program ID' and 'Program Name'. The programs listed are:

Program ID	Program Name
1	Prevention of Mother to Child Transmission PMTCT
2	Antiretroviral treatment ART Programme
3	Orphans And Vulnerable Children Program
4	TB/HIV
5	Kenya Mentor Mothers
8	Care and Treatment
9	Nutrition Program

The page also shows a 'Sign out' button in the user profile area and a 'Showing 1 to 7 of 7 entries' message at the bottom of the list.

Fig 1.- Logging Out of JPRP

3.2 Main Functions

3.2.1 What the user can do on the attribution portal app

- Create/delete/update/view programs.
- Create/update/view Support programs.
- Create/update/view support agencies.
- Create/update/view users within a certain level e.g mechanism, agency or donor levels.
- Create/update/view jprp user roles within a certain level.
- Import the Partner IPSL.
- Pull Data from the National DHIS2.
- Perform data sharing/attribution.

3.2.2 What the user cannot do using the attribution portal App

- Reports (standard reports), Data Visuals, data entry and pivot tables analysis – done in PHES.

3.3 JPRP Hierarchy

3.3.1 MOH(Ministry of Health)-Top Level

- Create, Update and Remove Programs.
- Create, Update and Remove Development Partners e.g PEPFAR.
- Assign Programs to a Development Partner.
- View a list of the development partners.
- View details of each development partner such as the programs assigned and the agencies supported by the development partner. In addition, can drill down to the lowest level (mechanism).
- Attributes the data either by mechanism, IPSL or mechanism.
- Create, View and Update JPRP user roles based on authorities at this level.
- Create a default Development partner Admin.
- Create, view and update users for this specific level.

3.3.2 Development Partner Level

- Create, Update and Remove agencies.
- View a list of the agencies.
- View details of each agency: the programs assigned to the agency and the Implementing mechanisms the agency is supporting.
- Create, View and Update JPRP user roles based on authorities at this level.
- Create a default Agency Admin.
- Create, view and update users for this specific level.

3.3.3 Agency Level

- Create, Update and Remove Implementing Mechanism.
- Assign programs to an Implementing mechanism.
- View the list of the Implementing mechanisms.
- View details of each IM: the programs supported and the facilities under the Implementing Mechanism.
- Create, View and Update JPRP user roles based on authorities at this level.
- Create a default Implementing Mechanism Admin.
- Create, view and update users for this specific level.

3.3.4 Implementing Mechanism Level

- View a list of all facilities supported by the Implementing mechanism.
- View a list of the programs supported by the IM.
- Create, View and Update JPRP user roles based on authorities at this level.

- Create a default Implementing Mechanism Admin.
- Create, view and update users for this specific level.

Hierarchy

4.1 MoH Level

Create, update, and view development partners using the Donor Manager tab on the left menu.

4.1.1 List of Development Partners

The screenshot shows the JPRP Portal interface for the Ministry of Health (MOH). The page title is "MOH :Development Partners". The left sidebar contains navigation items: JPRP Home, Programs, Data Import, Donor Manager, and Data Attribution. The main content area displays a "Development Partners List" with a table containing one entry:

#	Name	Shortname	UID
1	PEPFAR	PEPFAR	zqgDxW1s9dd

Below the table, it says "Showing 1 to 1 of 1 entries". A context menu is open over the first entry, showing options: +View, Update, Remove, +Attribute, and Show details. The page also includes a search bar, a table settings icon, and pagination controls (Previous, 1, Next).

Fig -list of development partners.

Note: To display the pop-out menu (with options e.g update and view) click on a specific development partner in the list.

4.1.2 Add Development Partner

Fig -Adding a development partner.

Partner Details

Name:

Short Name:

Code:

Program Search:

Programs

- Orphans And Vulnerable Children Program
- TB/HIV
- Antiretroviral treatment ART Programme
- Kenya Mentor Mothers
- Care and Treatment
- Prevention of Mother to Child Transmission PMTCT

Admin User Details

Username:

FirstName:

LastName:

Email:

Phone Number:

Selected Programs

Note: Must provide programs supported by the donor and credentials of the administrator -(donor organization).

4.1.3 Update Development Partner

Development Partner Details * Denotes Required Field

Name:

Short Name:

Code:

Program Search:

Programs

Selected Programs

- Orphans And Vulnerable Children Program
- TB/HIV
- Antiretroviral treatment ART Programme
- Kenya Mentor Mothers
- FUNZOKenya
- TB ARC
- Care and Treatment
- Prevention of Mother to Child Transmission PMTCT
- Nutrition Program

Fig -Updating a development partner.

4.1.4 Development Partner Details

Can view programs allocated to the donor and its agencies.




Fig -Viewing development partner details.

Note: User can drill down the hierarchy.

4.2 Development Partner Level

Create, update, and view agencies using the Agency Manager tab on the left menu.

4.2.1 List of Agencies




Fig -list of agencies.

Note: To display the pop-out menu(with options e.g update and view) click on a specific agency in the list.

4.2.2 Add Agency

The screenshot shows the 'Add Agency' page in the JPRP system. The left sidebar contains navigation options: JPRP Home, Programs, Data Import, Agency Manager, MOH Data Attribution, IPSL Manager, Data Attribution, and Users. The main content area is titled 'Add Agency' and includes a breadcrumb trail: Home > Development Partner > Add Agency. The form is split into two columns: 'Agency Details' and 'Admin User Details'. The 'Agency Details' column has input fields for 'Name' (filled with 'USG'), 'Short Name' (filled with 'USG'), and 'Code' (filled with '124'). Below these is a 'Program Search' field and a list of programs: Orphans And Vulnerable Children Program, TB/HIV, Antiretroviral treatment ART Programme, Kenya Mentor Mothers, FUNZOKenya, TB ARC, Care and Treatment, and Prevention of Mother to Child Transmission PMTCT. The 'Admin User Details' column has input fields for 'Username' (filled with 'username'), 'FirstName' (filled with 'First Name'), 'LastName' (filled with 'Last Name'), 'Email', and 'Phone Number'. At the bottom right, there are 'Selected Programs' and navigation arrows.

Fig -Adding an agency

Note: Must provide programs supported by the agency and credentials of the administrator -(agency organization).

4.2.3 Update Agency

Fig -Updating an agency.

4.2.4 Agency Details

Can view programs allocated to the agency and its implementing mechanisms.

Fig -Viewing agency details.

Note: User can drill down the hierarchy.

4.3 Agency Level

Create, update, and view mechanisms using the Mechanism Manager tab on the left menu.

JPRP Portal Home > Development Partner > Update Agency

setup
PEPFAR

Update Agency

Agency Details * Denotes Required Field

Name:

Short Name:

Code:

Program Search:

Programs

Selected Programs

- Orphans And Vulnerable Children Program
- TB/HIV
- Antiretroviral treatment ART Programme
- Kenya Mentor Mothers
- FUNZOKenya
- TB ARC
- Care and Treatment
- Prevention of Mother to Child Transmission PMTCT
- Nutrition Program

>> <<

JPRP Portal Home > Development Partner > View Development Partner Details

setup
PEPFAR

USAID

USAID : Programs

10 records per page Search:

Program Name	Program Description
Antiretroviral treatment ART Programme	
Care and Treatment	
FUNZOKenya	
Kenya Mentor Mothers	
Nutrition Program	
Orphans And Vulnerable Children Program	
Prevention of Mother to Child Transmission PMTCT	
TB ARC	
TB/HIV	

Showing 1 to 9 of 9 entries ← Previous 1 Next →

Showing 1 to 7 of 7 entries

← PREVIOUS 1 NEXT →

USAID : Implementing Mechanisms

10 records per page Search:

Mechanism Name	Datim ID
Afya Jijini	17718
AIRS	21600
AMPATHplus	14012
APHIAPlus Coast	21900
APHIAPlus Imarisha	14022
Aphiaplus Kamili	13636
APHIAplus Nyanza/Western	13588
APHIAPlus Rift Valley	13340
FHI360 - Nutrition and HIV Program (NHP)	7141
FUNZO Kenya	14015

Showing 1 to 10 of 21 entries ← Previous 1 2 3 Next →

4.3.1 List of Mechanisms

JPRP Portal

Agency: USAID Home > Agency > Implementing Mechanisms list

Implementing Mechanisms Add Mechanism

Show 10 entries Search:

Excel PDF

#	Mechanism Name	Partner Name	Datim ID
1	Aphiaplus Kamili	APHIAplus Central – Eastern	13636
2	Healthy Outcomes through Prevention Education	Healthy Outcomes through Prevention Education	13340
3	Inuka Community Based OVC Project	Inuka Community Based OVC Project	14012
4	APHIAPlus Rift Valley	APHIAPlus Rift Valley	13340
5	APHIAplus Nyanza/Western	APHIAplus Nyanza/Western	13588
6	Health Communication Marketing (Follow on)	Health Communication Marketing (Follow on)	13668
7	AMPATHplus	AMPATHplus	14012
8	FUNZO Kenya	FUNZO Kenya	14015

Pop-out menu for Mechanism 2:

- +View
- Update
- Remove
- Show Details

Fig -list of Mechanisms.

Note: To display the pop-out menu(with options e.g update and view) click on a specific mechanism in the list.

4.3.2 Add Mechanism

Fig -Adding a Mechanism

Note: Must provide programs supported by the mechanism and credentials of the Chief of Party of the IM.

4.3.3 Update Mechanism

#	Mechanism Name	Partner Name	Datim ID
1	Aphiaplus Kamili	APHIaplus Central – Eastern	13636
2	Healthy Outcomes through Prevention Education	Healthy Outcomes through Prevention Educati	12054
3	Inuka Community Based OVC Project	Inuka Community Based OVC Project	12056
4	APHIAPLUS Rift Valley	APHIAPLUS Rift Valley	13340
5	APHIAPLUS Nyanza/Western	APHIAPLUS Nyanza/Western	13588
6	Health Communication Marketing (Follow on)	Health Communication Marketing (Follow on)	13868
7	AMPATHplus	AMPATHplus	14012
8	FUNZO Kenya	FUNZO Kenya	14015

Fig -Updating a mechanism.

4.3.4 Mechanism Details

Can view programs allocated to the mechanism and the facilities supported.




Fig -Viewing Mechanism details.

4.4 Mechanism Level

On the Implementing Mechanism tab on the left menu.

4.4.1 Implementing Mechanism Details




Fig -List of programs

Fig -Facilities supported.

IPSL

Show entries Search:

[Excel](#) [PDF](#)

#	Organization Unit	MFL Code	Datim ID	Mechanism Name	Period
1	Wakamata Dispensary	11158	13636	APHIAplus Central/Eastern	2013-03-01
2	Waka Maternity Home	11156	13636	APHIAplus Central/Eastern	2013-03-01
3	Waia Health Centre	12839	13636	APHIAplus Central/Eastern	2013-03-01
4	Waia Dispensary	17841	13636	APHIAplus Central/Eastern	2013-03-01
5	Wachoro Dispensary	12838	13636	APHIAplus Central/Eastern	2013-03-01
6	Vyulya Dispensary	12837	13636	APHIAplus Central/Eastern	2013-03-01
7	Voo Health Centre	17778	13636	APHIAplus Central/Eastern	2013-03-01
8	Vololo Dispensary	17442	13636	APHIAplus Central/Eastern	2013-03-01
9	Uviluni Dispensary	17845	13636	APHIAplus Central/Eastern	2013-03-01
10	Uvete Dispensary	17441	13636	APHIAplus Central/Eastern	2013-03-01

Showing 1 to 10 of 1,029 entries

Previous [1](#) [2](#) [3](#) [4](#) [5](#) ... [103](#) Next

User Management

5.1 Users and User Roles

All users in the system will be created using the User Management Module in JPRP.

5.1.1 Creating Users

- Administrators have the responsibility of creating users at their respective levels.
- When creating users they will have to provide the user with a DHIS2 user role which is already predefined.
- In addition, they will provide the user with a JPRP user role.

Note: For the JPRP user roles the administrators will have to create them based on their organization.

How to create a user

- Click on the users tab on the left menu
- On the user management dashboard that appears click on the users icon.
- It displays a list of the users with their different roles. On the right side, click on the button “new user”
- Provide the details of the user(username, first name, surname, phone number, email address, DHIS2 user role and JPHEs user role).
- Then click on the submit button.

Fig -User Management Dashboard.

Fig - List of Users

Fig -Add User.

5.1.2 Creating User Roles

- Click on the users tab on the left menu.
- On the user management dashboard that appears click on the user roles icon.
- It displays a list of the users roles with their different authorities. On the right side, click on the button “Add User Role”

The screenshot shows the JPRP Portal interface. The top navigation bar includes the logo 'JPRP Portal', a menu icon, and a user profile icon. The left sidebar contains a navigation menu with items: JPRP Home, Programs, Data Import, Agency Manager, MOH Data Attribution, IPSL Manager, Data Attribution, and Users. The main content area is titled 'User Management' and includes a breadcrumb trail 'Home > User Management'. Two introductory cards are present: 'User Roles' (with a wrench icon) and 'Users' (with a person icon). The 'User Roles' card text reads: 'Create, modify and view all user roles. A user role has a set of authorities within a system.' The 'Users' card text reads: 'Create, modify and view all users. A user is associated with user roles.' A settings gear icon is visible in the top right corner of the main content area.

This screenshot shows the 'Available Users' section of the User Management page. The breadcrumb trail is 'Home > User Management > Users'. A '+ New User' button and a settings gear icon are located in the top right. A dropdown menu is set to '10 records per page', and a search input field is present. The table below lists the available users:

Name	Organization	User Role
CMbaire CMbaire	PEPFAR	org manager
DrSoti DrSoti	PEPFAR	Donor Level

Below the table, it indicates 'Showing 1 to 2 of 2 entries' and includes pagination controls: '← Previous', '1', and 'Next →'. A settings gear icon is also visible in the top right corner of the table area.

The screenshot shows the 'Create User' form in the JPRP Portal. The form is titled 'Create User' and is located in the 'User Management' section. The form includes the following fields:

- Username:** A text input field containing 'username'.
- First Name:** A text input field containing 'Firstname'.
- Surname:** A text input field containing 'surname'.
- Email:** A text input field containing 'user@domain.com'.
- Phone Number:** A text input field containing '07234343'.
- JPHEs User Role:** A dropdown menu with 'Choose here' selected. A red error message is displayed next to it: 'Kindly Select A Valid JPHEs User Role'.

A green 'Submit' button is located below the dropdown menu. A red asterisk and the text '* Denotes Required Field' are visible above the form fields.

- Provide a name of the user role and select the relevant authorities of the user role. Then click on the submit button.
- Other options-A user can update the selected authorities and the user role name.

The screenshot shows the 'User Management' dashboard in the JPRP Portal. The dashboard is titled 'User Management' and is located in the 'User Management' section. The dashboard features two main sections:

- User Roles:** A section with a green box and a wrench icon. The text reads: 'Create, modify and view all user roles. A user role has a set of authorities within a system.'
- Users:** A section with a green box and a person icon. The text reads: 'Create, modify and view all users. A user is associated with user roles.'

Fig -User Management Dashboard.

Fig -List of user roles.

Fig -Add User Role.

The screenshot shows the 'User Roles' page for 'UserGroup: PEPFAR'. The left sidebar contains navigation items: JPRP Home, Programs, Data Import, Agency Manager, MOH Data Attribution, IPSL Manager, Data Attribution, and Users. The main content area has a header with 'UserGroup: PEPFAR' and a breadcrumb trail 'Home > Userroles > Userrole List'. Below the header, there is a 'User Roles' section with a '10 records per page' dropdown and a search bar. A table with columns '#', 'Name', and 'Name' is shown, but it is empty with the message 'No data available in table'. Navigation buttons for 'Previous' and 'Next' are present at the bottom of the table area.

The screenshot shows the 'Add User Role' page. The left sidebar is identical to the previous page. The main content area has a header 'Add User Role' and a breadcrumb trail 'Home > User Roles > Add Userrole'. The 'User Role Details' section includes a 'Name' field with the value 'User role' and an 'Authorities Search' field with the value 'Authorities Search'. Below these are two boxes: 'Authorities' containing a list of roles (program_management, data_attribution, data_import, donor_level, ipsi_import, program_create, org_user_management, org_role_management) and 'Selected Authorities' which is currently empty. Between the boxes are '>>' and '<<' buttons. A green 'Submit' button is located at the bottom center.

5.2 DHIS2 User Roles

5.2.1 Development Partner Level

- Donor Admin

5.2.2 Agency Level

- Agency User
- Agency Admin

5.2.3 Mechanism Level

- Implementing Partner Admin
- Implementing Partner User

5.3 JPRP User Authorities

5.3.1 Development Partner Level

- Program Management- View all programs
- Org User Management - Create JPRP users
- Org Role Management - Create JPRP user roles
- IPSL Import - Can Import the IPSL
- Data Attribution -Can perform Data Attribution.
- Program Create -Can create,update and remove programs.
- Donor Level

5.3.2 Agency Level

- Program Management
- Org User Management
- Org Role Management
- IPSL Import
- Agency Level

5.3.3 Mechanism Level

- Program Management
- Org User Management
- Org Role Management
- Mechanism Level


Programs

6.1 Assigning Programs.

After clicking on the programs tab the user with the required permissions can create, edit and remove programs.

6.2 View Program List.

This page displays the programs already created. On clicking on a program item a **pop up menu** appears that allows the user to perform functions such as: - Show details of a program. - Remove a program. - Update a program. - View program.



The screenshot displays the JPRP Portal interface. The header includes the logo 'JPRP Portal' and a user profile icon. The main content area is titled 'Programs' and features a 'Create Program' button. A table lists the programs, with one entry visible: Program ID 1, Program Name 'Prevention of Mother-to-Child Transmission (PMTCT)'. A pop-up menu is open over the first row, offering actions: '+ View', 'Update', 'Remove', '+ Attribute', and 'Show details'. The table also shows '10 records per page' and a search field.

Program ID	Program Name
1	Prevention of Mother-to-Child Transmission (PMTCT)

Fig 4-Pop-up menu on the program list.

6.3 Creating a Program

To display the program creation page, click on the create program button on the program list page. During this process the user has to provide the program name, program short name, program description and select data elements for the program.

Fig 5. -Create Program Page

6.4 Edit Program.

To display the program edit page, on the pop-up menu select edit. It allows the user to update details of the program such as the program name, short name, description and the data elements.

Fig 6.- Program Edit Page

6.5 Remove/Delete Program.

On the program list page, click on the program you want to delete. On the pop up menu that appears select Remove. A dialog box appears and asks you to confirm or cancel the process. If you confirm the program will be delete.

Note: A program assigned to either donors, development partners, agencies and implementing partners cannot be deleted unless unassigned.

Fig 7. Confirmation to remove a Program.

JPRP Portal | DrSoti | Ministry Of Health

Update Prevention of Mother-to-Child Transmission (PMTCT) Details

Program Details: * Denotes Required Field

Program Name:

Program ShortName:

Data Sets Available:

Search Dataelements:

Dataelements Available

- Referral from Health Facility
- Number of Spectacles Issued
- Referrals from School
- Number Referral from Health Facility
- AEFI
- Number of other assistive device
- Artesunate Injection
- Cummulative No. of person enrolled in HIV care
- No. given ECP
- Non Enrolled Children Division 6
- Enrolled ESAC Children Dewormed Division 6
- Adults Dewormed Division 6
- Enrolled ECD Children Dewormed Division 6

Selected Dataelements

- PMTCT HIV positive
- AWP HIV+ pregnant mothers receiving preventive ARV's to
- Total Tested (PMTCT)
- Total Positive (PMTCT)
- HIV+ pregnant women receiving preventive ARVs treatment
- Total PMTCT prophylaxis
- PMTCT- 1st PNC attendants
- New patients enrolled whin the month for HIV care through
- PMTCT HIV Negative
- HEI Mothers who received PMTCT ARV's
- PMTCT HAART: TDF + 3TC + LPV/r (For use by Pregnant wor
- Totals for PMTCT Clients (Pregnant Women ONLY)
- PMTCT HAART: TDF + 3TC + NVP

JPRP Portal | DrSoti | Ministry Of Health

Programs

Programs

10 records per page

Program ID	Program Name
1	Prevention of Mot

Showing 1 to 1 of 1 entries

Drop Prevention of Mother-to-Child Transmission (PMTCT)

Do you want to remove Prevention of Mother-to-Child Transmission (PMTCT) Program?

6.6 Show Program Details.

On the pop-up menu, select show details option to display program details. It shows summary details of the program such as number of data elements, program description and number of archives.




Fig 8. Show Program Details.

6.7 View Program

On selecting the view option on the pop-up menu. It displays the data elements assigned to the program and the facilities supporting the program.

Fig 9. Data elements of the Program.

Fig 10. Facilities supporting the program.

JPRP Portal Home - Program Management - View Program

DrSoti
Ministry Of Health

Prevention of Mother-to-Child Transmission (PMTCT)

Prevention of Mother-to-Child Transmission (PMTCT) : Programs Dataelements

Search:

Dataelement Code	Dataelement Name	Dataelement Description
	PMTCT HIV positive	
	AWP HIV+ pregnant mothers receiving preventive ARV's to reduce risk of mother to child transmission (PMTCT)	
	Total Tested (PMTCT)	NASCOP
	Total Positive (PMTCT)	NASCOP
	HIV+ pregnant women receiving preventive ARV's treatment (PMTCT)-AOP-yr	
	New patients enrolled whin the month for HIV care through PMTCT	
	PMTCT HIV Negative	
	HEI Mothers who received PMTCT ARVs	
	Totals for PMTCT Clients (Pregnant Women ONLY)	
	Nevirapine (NVP) Susp 10mg/ml (For PMTCT only)	

Showing 1 to 10 of 19 entries

← Previous **1** 2 Next →

	Total Positive (PMTCT)	NASCOP
	HIV+ pregnant women receiving preventive ARV's treatment (PMTCT)-AOP-yr	
	New patients enrolled whin the month for HIV care through PMTCT	
	PMTCT HIV Negative	
	HEI Mothers who received PMTCT ARVs	
	Totals for PMTCT Clients (Pregnant Women ONLY)	
	Nevirapine (NVP) Susp 10mg/ml (For PMTCT only)	

Showing 1 to 10 of 19 entries

← Previous **1** 2 Next →

Prevention of Mother-to-Child Transmission (PMTCT) : Data Attribution Organization Units

Search:

#	Organization Unit Name	Start Date	End Date
1	Machakos County Level 5	12/01/2015	12/06/2015
2	Kisumu County Hospital	12/01/2015	12/06/2015
3	Nyeri Hospital	12/01/2015	12/06/2015

Showing 1 to 3 of 3 entries

← Previous **1** Next →

Data Import

7.1 Data Import from the national DHIS2 instance

To import data from DHIS2 live click on the **Data Import** button on the left menu. Then on the data import page select the period, the data elements and lastly the organization units. It will perform the import then show a data import statistics of the data elements that have been successfully imported and the ones that failed.




Fig 11 -Data Import Page.

Fig 12 -Data Import Statistics Page.

JPRP Portal

DrSoti
Ministry Of Health

Data Import Statistics

Home > Data Import > Data Import

10 records per page Search:

Dataset	Dataelements Fetched(Total for all orgUnits)	Successfully Imported	Blank Values
MOH T31-5 Post-Exposure Prophylaxis	0	0	0
MOH T31-6 Blood Safety	0	0	0

Showing 1 to 2 of 2 entries

← Previous 1 Next →

- JPRP Home
- Programs
- Mechanisms Manager
- Partner Management
- Data Import
- MOH
- Development Partners
- Agency
- Implementing Mechanism
- Data Attribution
- Mailbox

Program Reporting Structure and Attribution

8.1 PEPFAR Program Reporting Structure




Fig 17 -Reporting structure

8.2 Data Attribution

The attribution process can be summarized using the following diagram,




Fig 18 -Attribution Process Attribution is performed by either IPSL, Mechanism or Program. After selecting the respective IPSL option data will be attributed accordingly as per the IPSL and the attribution results will be visible when performing Pivot table analysis.

Fig 18 -Attribution Page

JPRP Portal
👤



DrSoti
Ministry Of Health

- 🏠 JPRP Home
- 📁 Programs
- 📁 Mechanisms Manager
- 📁 Partner Management
- 📁 Data Import
- 📁 MOH
- 📁 Development Partners
- 📁 Agency
- 📁 Implementing Mechanism
- 📁 Data Attribution
- 📁 Mailbox

Data Attribution : Global IPSL

🏠 Home > Data Attribution > Data Attribution

Data Attribution

Select Attribution Criteria:

👤 IPSL Data Attribution
👤 Attribution By Program
👤 Attribution By Mechanism

Implementing Partners Support List

10 records per page Search:

Mechanism Name	Program	Support Type	Organization Unit	Start Date	Stop Date
No data available in table					

Showing 0 to 0 of 0 entries

← Previous Next →

Data Access, Data Analysis and Reports

9.1 Data Access Hierarchy Design

This is based on the hierarchy:




Fig 19 -Reporting structure

1. An implementing partner E.g. AMURT can only access their own data
2. An implementing agency E.g. USAID can access data for all their member implementing partners.
3. A donor E.g. PEPFAR can see data for all their member agencies and Implementing partners.

The following Additional analysis dimensions have been provided in the JPRP portal for both Pivot table and Visualizer. The visibility of these dimensions will vary from one user log in to another depending on the assigned privileges. For example, AMURT, an implementing partner will only see the Implementing partners' dimensions and only AMURT option under the same.

1. Implementing partners.
2. Implementing agencies.
3. Donors.




Fig 20. Pivot Table Analysis.

Appendix 1: References

1. The DHIS2 user manual
2. The DHIS2 Implementer Guide